

Safety Data Sheet

Revision Date: 03/13/2015
Z17000000155/Version: 1.6
Print Date: 04/08/2015
Page: 1/11

Kodak alaris

1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK PROSTAR PLUS FIXER

Product code: 1022656

Synonyms: PCD 5737

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Professional colour paper photographic processing solution. For industrial use only.

Supplier: Kodak Alaris Inc., 2400 Mount Read Boulevard, Rochester, NY 14615

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email EHS-Questions@Kodakalaris.com.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
Skin corrosion/irritation	Category 2	--
Serious eye damage/eye irritation	Category 2A	--

GHS-Labeling

Contains:

Ammonium bisulphite (10192-30-0)

Symbol(s):



Signal word: Warning

Hazard statements: Causes skin irritation. Causes serious eye irritation.

Safety Data Sheet

Revision Date: 03/13/2015
Z17000000155/Version: 1.6
Print Date: 04/08/2015
Page: 2/11

Precautionary statements:

Prevention: Wear protective gloves/ eye protection/ face protection. Wash thoroughly after handling.

Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Other hazards which do not result in classification:

Dried product residue can act as a reducing agent.

HMIS III Hazard Ratings: Health - 1, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 3, Flammability - 1, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
15 - 20	Ammonium thiosulphate (7783-18-8)
1 - 5	Ammonium bisulphite (10192-30-0)
0.1 - < 1	Sodium sulphite (7757-83-7)
0.1 - 1	Ammonium sulphite (10196-04-0)

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Safety Data Sheet

Revision Date: 03/13/2015
Z17000000155/Version: 1.6
Print Date: 04/08/2015
Page: 3/11

Ingestion: If swallowed, DO NOT induce vomiting. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

5. Firefighting measures

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Flush with plenty of water.

Special hazards arising from the substance or mixture

Hazardous Combustion Products: Carbon oxides, Nitrogen oxides (NO_x), Sulphur oxides, (see also Hazardous Decomposition Products sections.)

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Unusual Fire and Explosion Hazards: Dried product residue can act as a reducing agent. Reacts violently with oxidizing materials. May cause spontaneous heating and ignition when absorbed on combustible, porous material (e.g. rags, paper, sawdust, cotton, clothing).

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material. Collect in a noncombustible container for prompt disposal. Clean surface thoroughly to remove residual contamination.

Environmental precautions: Flush with plenty of water.

For Large Spills: Flush with plenty of water.

7. Handling and storage

Precautions for safe handling

Safety Data Sheet

Revision Date: 03/13/2015
Z17000000155/Version: 1.6
Print Date: 04/08/2015
Page: 4/11

Personal precautions: Avoid breathing mist or vapour at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Use only with adequate ventilation.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials, highly oxygenated or halogenated solvents, organic compounds containing reducible functional groups. Remove and wash contaminated clothing promptly.

Conditions for safe storage, including any incompatibilities: Store in original container. Keep container tightly closed to prevent the loss of water. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls: Not established

Appropriate engineering controls: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Individual protection measures, such as personal protective equipment

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

Respiratory protection: None should be needed. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. A respirator should be worn if hazardous decomposition products are likely to be or have been released. Respirator type: acid gas See Stability and Reactivity Section. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

9. Physical and chemical properties

Physical form: liquid

Colour: colourless

Odour: ammonia

Specific gravity: 1.124

Safety Data Sheet

Revision Date: 03/13/2015
Z17000000155/Version: 1.6
Print Date: 04/08/2015
Page: 5/11

Vapour pressure (at 20.0 °C (68.0 °F)): 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Boiling point/boiling range: > 100 °C (> 212.0 °F) (estimated)

Water solubility: complete

pH: 7.2

Flash point: does not flash

Evaporation rate: No data available

Flammability Limits: Not applicable

Flammability (Solid; gas): No data available

Upper explosion limit: No data available

Lower explosion limit: No data available

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Safety Data Sheet

Revision Date: 03/13/2015
Z17000000155/Version: 1.6
Print Date: 04/08/2015
Page: 6/11

Incompatible materials: Acids, Strong bases, sodium hypochlorite (bleach), Halogenated compounds, Oxidizing agents. Contact with sodium hypochlorite (bleach) may form chloramine (toxic gas). Contact with base liberates flammable material. Contact with base liberates ammonia.

Hazardous decomposition products: Ammonia, chloramine, Sulphur oxides, Nitrogen oxides (NOx)

11. Toxicological information

Effects of Exposure

Inhalation: Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: Causes serious eye irritation.

Skin: Causes skin irritation. This material has a low potential to cause allergic skin reactions; however, cases of human skin sensitization have been reported.

Ingestion: May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Data for Sodium sulphite (CAS 7757-83-7):

Acute Toxicity Data:

Oral LD50 (Rat): 820 mg/kg

- Inhalation LC50 (Rat): > 22 mg/l / 1 hr
- Skin irritation: none
- Eye irritation: slight; washing palliative

Data for Ammonium thiosulphate (CAS 7783-18-8):

Acute Toxicity Data:

Oral LD50 (male Rat): 500 - 5,000 mg/kg

- Inhalation (Rat): 2260 mg/m³ / 4 hr
- Eye irritation: none

Data for Ammonium sulphite (CAS 10196-04-0):

Acute Toxicity Data:

Oral LD50 (Rat): 2,528 mg/kg

- Inhalation LC50 (Rat): > 2.46 mg/l / 6 hr
- Dermal LD50 (Guinea pig): >1.0 g/kg
- Skin irritation: slight

Safety Data Sheet

Revision Date: 03/13/2015
Z17000000155/Version: 1.6
Print Date: 04/08/2015
Page: 7/11

Carcinogenicity

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50):	> 100 mg/l
Toxicity to daphnia (EC50):	> 100 mg/l
Toxicity to other organisms (EC50):	> 100 mg/l

Persistence and degradability: Not readily biodegradable.

Chemical Oxygen Demand (COD): ca. 52 g/l

Biochemical Oxygen Demand (BOD): ca. 43 g/l

Safety Data Sheet

Revision Date: 03/13/2015
Z17000000155/Version: 1.6
Print Date: 04/08/2015
Page: 8/11

Bioaccumulative potential

No data available

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	All listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

Safety Data Sheet

Revision Date: 03/13/2015
Z17000000155/Version: 1.6
Print Date: 04/08/2015
Page: 9/11

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Ammonium bisulphite
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Ammonium thiosulphate , Ammonium bisulphite
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Ammonium bisulphite
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	Ammonium thiosulphate , Ammonium bisulphite
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	No components found on the Minnesota Employee Right-to-Know List of Hazardous Substances.
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	Ammonium bisulphite
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):	Water , Ammonium thiosulphate , Ammonium bisulphite , Ammonium sulphite , Sodium hydroxide

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

Safety Data Sheet

Revision Date: 03/13/2015
Z17000000155/Version: 1.6
Print Date: 04/08/2015
Page: 10/11

US/Canadian Label Statements:

KODAK PROSTAR PLUS FIXER

Contains:

Ammonium bisulphite (10192-30-0)

Symbol(s):



Signal word: Warning

Hazard statements: Causes skin irritation. Causes serious eye irritation.

Precautionary statements:

Prevention: Wear protective gloves/ eye protection/ face protection. Wash thoroughly after handling.

Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

FIRST AID: If inhaled, remove to fresh air. Get medical attention if symptoms occur. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. If swallowed, DO NOT induce vomiting. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Flush with plenty of water. **IN CASE OF SPILL:** Absorb spill with vermiculite or other inert material. Collect in a noncombustible container for prompt disposal. Clean surface thoroughly to remove residual contamination. For Large Spills: Flush with plenty of water.

Safety Data Sheet

Revision Date: 03/13/2015
Z17000000155/Version: 1.6
Print Date: 04/08/2015
Page: 11/11

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-1, F-1, C-1