

Safety Data Sheet

Revision Date: 05/08/2014
00000006665/Version: 2.0
Print Date: 04/09/2015
Page: 1/10

Kodak alaris

1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK EKTACOLOR PRIME SP Bleach Fix Replenisher LORR/RA-4

Product code: 8444754

Synonyms: PCD 6543

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: photographic processing chemical (bleach/bleach fixer). For industrial use only.

Supplier: Kodak Alaris Inc., 2400 Mount Read Boulevard, Rochester, NY 14615

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email EHS-Questions@Kodakalaris.com.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
This material is not classified as hazardous according to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).	--	--

GHS-Labeling

Contains:

Ammonium ferric ethylenediaminetetraacetic acid (21265-50-9)

Hazard statements: This material is not classified as hazardous according to the Hazard Communication Standard (HCS 2012).

Precautionary statements:

Prevention: Keep container tightly closed. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Response: Call a POISON CENTER or doctor/ physician if you feel unwell.

Safety Data Sheet

Revision Date: 05/08/2014
00000006665/Version: 2.0
Print Date: 04/09/2015
Page: 2/10

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

Other hazards which do not result in classification:

Dried product residue can act as a reducing agent.
MAY LIBERATE SULFUR DIOXIDE

HMIS III Hazard Ratings: Health - 1, Flammability - 1, Physical Hazard - 1

NFPA Hazard Ratings: Health - 3, Flammability - 1, Instability - 1

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
10 - 20	Ammonium thiosulphate (7783-18-8)
5 - 10	Ammonium ferric ethylenediaminetetraacetic acid (21265-50-9)
5 - 10	Ammonium bisulphite (10192-30-0)

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Skin: Wash off with soap and water. Get medical attention if symptoms occur.

Ingestion: If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Safety Data Sheet

Revision Date: 05/08/2014
00000006665/Version: 2.0
Print Date: 04/09/2015
Page: 3/10

Treatment: No information available.

5. Firefighting measures

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Hazardous Combustion Products: Carbon oxides, (see also Hazardous Decomposition Products sections.)

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Unusual Fire and Explosion Hazards: Dried product residue can act as a reducing agent. Reacts violently with oxidizing materials. May cause spontaneous heating and ignition when absorbed on combustible, porous material (e.g. rags, paper, sawdust, cotton, clothing).

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material. Collect in a noncombustible container for prompt disposal. Clean surface thoroughly to remove residual contamination.

Environmental precautions: Flush with plenty of water.

For Large Spills: Flush with plenty of water.

7. Handling and storage

Precautions for safe handling

Personal precautions: Avoid breathing mist or vapour at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials, highly oxygenated or halogenated solvents, organic compounds containing reducible functional groups. Remove and wash contaminated clothing promptly.

Safety Data Sheet

Revision Date: 05/08/2014
00000006665/Version: 2.0
Print Date: 04/09/2015
Page: 4/10

Conditions for safe storage, including any incompatibilities: Store in original container. Keep container tightly closed to prevent the loss of water. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Ammonium ferric ethylenediaminetetra acetic acid	ACGIH	time weighted average	1 mg/m3
Sulphur dioxide	OSHA	Short term exposure limit time weighted average	<i>Expressed as Fe</i> 0.25 ppm 5 ppm 13 mg/m3

Appropriate engineering controls: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Individual protection measures, such as personal protective equipment

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear impervious gloves and protective clothing appropriate for the risk of exposure.

Respiratory protection: None should be needed. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: acid gas If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

9. Physical and chemical properties

Physical form: liquid

Colour: dark red

Odour: acetic acid

Specific gravity: 1.187

Vapour pressure (at 20.0 °C (68.0 °F)): 23.4 mbar (17.6 mm Hg)

Safety Data Sheet

Revision Date: 05/08/2014
00000006665/Version: 2.0
Print Date: 04/09/2015
Page: 5/10

Vapour density: 0.6

Boiling point/boiling range: > 100 °C (> 212.0 °F)

Water solubility: completely soluble

pH: 5.3

Flash point: does not flash

Evaporation rate: No data available

Flammability (Solid; gas): No data available

Upper explosion limit: No data available

Lower explosion limit: No data available

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Acids, Strong bases, sodium hypochlorite (bleach), Oxidizing agents. Contact with sodium hypochlorite (bleach) may form chloramine (toxic gas). Contact with base liberates flammable material. Contact with base liberates ammonia.

Safety Data Sheet

Revision Date: 05/08/2014
00000006665/Version: 2.0
Print Date: 04/09/2015
Page: 6/10

Hazardous decomposition products: Ammonia, chloramine, Sulphur oxides

11. Toxicological information

Effects of Exposure

General advice:

Contains: Ammonium ferric ethylenediaminetetraacetic acid. This compound can chelate metals and may alter calcium and other cation balances.

Inhalation: Expected to be a low hazard for recommended handling. Some asthmatics or hypersensitive individuals may experience difficulty breathing if exposed to aerosols or decomposition products that are not anticipated during normal use.

Eyes: No specific hazard known. May cause transient irritation.

Skin: Expected to be a low hazard for recommended handling. This material has a low potential to cause allergic skin reactions; however, cases of human skin sensitization have been reported.

Ingestion: Expected to be a low ingestion hazard. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Data for Ammonium thiosulphate (CAS 7783-18-8):

Acute Toxicity Data:

Oral LD50 (male rat): 500 - 5,000 mg/kg

- Inhalation (rat): 2260 mg/m³ / 4 hr
- Eye irritation: none

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): > 100 mg/l

Toxicity to daphnia (EC50): Daphnia: 10 - 100 mg/l

Persistence and degradability: Not readily biodegradable.

Bioaccumulative potential

Safety Data Sheet

Revision Date: 05/08/2014
000000006665/Version: 2.0
Print Date: 04/09/2015
Page: 7/10

No data available

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	All listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	Not all listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Safety Data Sheet

Revision Date: 05/08/2014

00000006665/Version: 2.0

Print Date: 04/09/2015

Page: 8/10

Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Ammonium bisulphite , Ammonium acetate
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Ammonium thiosulphate , Ammonium ferric ethylenediaminetetraacetic acid , Ammonium bisulphite , Ammonium acetate
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Ammonium ferric ethylenediaminetetraacetic acid , Ammonium bisulphite , Ammonium acetate
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated

Safety Data Sheet

Revision Date: 05/08/2014
00000006665/Version: 2.0
Print Date: 04/09/2015
Page: 9/10

	Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	Ammonium thiosulphate , Ammonium bisulphite , Ammonium acetate
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	Ammonium ferric ethylenediaminetetraacetic acid
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	Ammonium bisulphite , Ammonium acetate
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):	Water , Ammonium thiosulphate , Ammonium ferric ethylenediaminetetraacetic acid , Ammonium bisulphite , Ammonium acetate

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

KODAK EKTACOLOR PRIME SP Bleach Fix Replenisher LORR/RA-4

Contains:

Ammonium ferric ethylenediaminetetraacetic acid (21265-50-9)

Hazard statements: This material is not classified as hazardous according to the Hazard Communication Standard (HCS 2012).

Precautionary statements:

Prevention: Keep container tightly closed. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Response: Call a POISON CENTER or doctor/ physician if you feel unwell.

Storage: Store in a well-ventilated place. Keep cool.

Safety Data Sheet

Revision Date: 05/08/2014
000000006665/Version: 2.0
Print Date: 04/09/2015
Page: 10/10

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

FIRST AID: If inhaled, remove to fresh air. Get medical attention if symptoms occur. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. Wash off with soap and water. Get medical attention if symptoms occur. If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. **IN CASE OF SPILL:** Absorb spill with vermiculite or other inert material. Collect in a noncombustible container for prompt disposal. Clean surface thoroughly to remove residual contamination. For Large Spills: Flush with plenty of water. Additional Components Include: Water (7732-18-5) , Ammonium ferric ethylenediaminetetraacetic acid (21265-50-9) , Ammonium acetate (631-61-8).

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-1, F-1, C-1